## Digital twins and hybrid modelling for simulation of physiological variables and stroke risk Tilda Herrgårdh, Elizabeth Hunter, Kajsa Tunedal, Gunnar Cedersund

tilda.herrgardh@liu.se



age

drug

Hg



as a conversation aid during the clinical encounter by improving patients' understanding of their body and health. As such, it can facilitate shared decision-making, promote behavior change towards a healthy lifestyle, and improve adherence

[1] A digital twin for weight-driven progression of glucose homeostasis in humans: diet and drug-interventions, T Herrgårdh et al, in manuscript

[2] Digital twins and hybrid modelling for simulation of physiological variables and stroke risk,T Herrgårdh, E Hunter, K Tunedal, H Örman, J Amann, F A Navarro, C Martinez-Costa, JD Kelleher, G Cedersund, bioRxiv 2022.03.25.485803; doi: https://doi.org/10.1101/2022.03.25.485803

[3]Hall KD, Sacks G, Chandramohan D, et al. Quantification of the effect of energy imbalance on bodyweight. Lancet 2011; 378: 826-37.

[4] Herrgårdh T, Li H, Nyman E, Cedersund G. An Updated Organ-Based Multi-Level Model for Glucose Homeostasis: Organ Distributions, Timing, and Impact of Blood Flow. Front Physiol. 2021 Jun 1;12:619254. doi: 10.3389/fphys.2021.619254. PMID: 34140893; PMCID: PMC8204084.

[5] Nyman E, Rajan MR, Fagerholm S, Brännmark C, Cedersund G, Strålfors P. A single mechanism can explain network-wide insulin resistance in adipocytes from obese patients with type 2 diabetes. J Biol Chem. 2014 Nov 28;289(48):33215-30. doi: 10.1074/jbc.M114.608927. Epub 2014 Oct 15. PMID: 25320095; PMCID: PMC4246081.



